
PDA-602B PoE Powered Device Analyzer for 802.3at 2-Pair, Type-1 PD Analysis

Included

PDA-602B PoE Powered Device Analyzer for 802.3at 2-Pair, Type-1 PD Analysis

Optional

PDA-602-TYPE2 Type-2 PD Powering and Analysis using 802.3at 2-Event Classification, PDA-602

PDA-LLDP-AT LLDP Protocol and Power Integrity Analysis for 802.3at PD Testing, PDA-602 (Requires PDA-TYPE2) & PDA-604A

CASE-PDA Carry Case, PDA & PSA-3402

RACKKIT-PDA Rackmount Kit, PDA & PSA-3402

PDA-602-CT-AT PD Conformance Test Suite and Load Monitor for Automated 802.3at PD Testing, PDA-602 (Requires PDA-TYPE2 for Type-2 PD Conformance Test Suite and Load Monitoring)

PDA-604A PoE Powered Device Analyzer for 2-Pair/4-Pair PD Powering, 802.3at Type-1/2 PD Analysis, and 802.3bt 3-Event Classification

Included

PDA-604A PoE Powered Device Analyzer for 2-Pair/4-Pair PD Powering, 802.3at Type-1/2 PD Analysis, and 802.3bt 3-Event Classification

Optional

PDA-LLDP-AT LLDP Protocol and Power Integrity Analysis for 802.3at PD Testing, PDA-602 (Requires PDA-TYPE2) & PDA-604A

CASE-PDA Carry Case, PDA & PSA-3402

RACKKIT-PDA Rackmount Kit, PDA & PSA-3402

PDA-604-CT-AT PD Conformance Test Suite and Load Monitor for Automated 802.3at PD Testing, PDA-604A

PDA-604-TYPE3/4 Type-3/4 Powering & Analysis for 802.3bt using 4-Event and 5-Event Classification, PDA-604A

PDA-LLDP-BT LLDP Protocol and Power Integrity Analysis for 802.3bt PD Testing, PDA-604 (Requires PDA-TYPE3/4 & PDA-LLDP-AT)

PDA-604-CT-BT PD Conformance Test Suite for Automated 802.3bt PD Testing (Requires PDA-604-CT-AT and PDA-604-TYPE3/4), PDA-604A

PSA-3000 PowerSync Analyzer, 2- to 48-Port

Included

1-2 PSA-3000 PowerSync Analyzer Chassis with Controller

1-24 PSA-3202 PowerSync Analyzer Test Card for 802.at/802.3bt, 2-Port

Optional

1-2 PSA-LLDP LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSA Controller

1-2 PSA-MPT PSE Multi-Port Suite for 802.3at for 1x PSA-3000 Chassis

	PSA-CT2P-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
	PSA-CT2P-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
1-2	PSA-CT2P	PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (Requires PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX)
1-2	PSA-CT4P	PSE Conformance Test Suite for 4-Pair for 1x PSA Controller (Requires PSA-CT-TSX or PSA-CT-STSX)
	PSA-CT2P-STX1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
	PSA-CT2P-STX2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
	PSA-CT-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT-STX1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT-STX2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT2P-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
	PSA-CT-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)
	PSA-CT2P-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
	PSA-CT-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-STSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)
1	PSA-48-QTD	Discount, Applies to Quantity 2x PSA-3000 with Quantity 24x PSA-3202 Configuration

PSA-3000 & PVA-3000

Combination PowerSync Analyzer & PhyView Analyzer, 4- to 24-Ports

Included

	PSA-3000	PowerSync Analyzer Chassis with Controller
1-11	PVA-3102	PhyView Analyzer Test Card, 2-Port
1-11	PSA-3202	PowerSync Analyzer Test Card for 802.at/802.3bt, 2-Port

Optional

	PSA-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSA Controller
	PSA-MPT	PSE Multi-Port Suite for 802.3at for 1x PSA-3000 Chassis

PVA-3000-PTS	PHY Performance Test Suite for 1x PSA-3000 Chassis
PVA-LI4	Module, Line Impairment (3 Mismatch 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 2 4 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000
PSA-CT2P-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P	PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (Requires PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX)
PSA-CT4P	PSE Conformance Test Suite for 4-Pair for 1x PSA Controller (Requires PSA-CT-TSX or PSA-CT-STSX)
PSA-CT2P-STX1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P-STX2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-STX1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-STX2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT2P-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
PSA-CT-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)
PSA-CT2P-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
PSA-CT-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-STSR required for expired PSA-CT-STSX for PSA-CT2P / PSA-CT4P)

PSA-3002-SA

PoE Service Analyzer for 802.at, 2-Port

Included

PSA-3002-SA	PoE Service Analyzer for 802.at, 2-Port
-------------	---

PSA-3402**Compact PowerSync Analyzer for 802.3at/802.3bt, 2-Port**

Included

PSA-3402 Compact PowerSync Analyzer for 802.3at/802.3bt, 2-Port

Optional

PSA-LLDP LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSA Controller

CASE-PDA Carry Case, PDA & PSA-3402

RACKKIT-PDA Rackmount Kit, PDA & PSA-3402

PSA-CT2P-TS1 1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)

PSA-CT2P-TS2 2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)

PSA-CT2P PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (Requires PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX)

PSA-CT4P PSE Conformance Test Suite for 4-Pair for 1x PSA Controller (Requires PSA-CT-TSX or PSA-CT-STSX)

PSA-CT2P-STS1 1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)

PSA-CT2P-STS2 2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)

PSA-CT-TS1 1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)

PSA-CT-TS2 2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)

PSA-CT-STS1 1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)

PSA-CT-STS2 2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)

PSA-CT2P-TSR Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)

PSA-CT-TSR Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)

PSA-CT2P-STSR Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)

PSA-CT-STSR Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-STSR required for expired PSA-CT-STSX for PSA-CT2P / PSA-CT4P)

PSL-3000**PowerSync Programmable Load System, 2- to 24-Port**

Included

PSL-3000	PowerSync Programmable Load Chassis with Controller
1-12 PSL-3202	PowerSync Programmable Load Test Card for 802.3at/802.3bt, 2-Port

Optional

PSL-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSL-3000 Chassis
PSL-MPT	PSE Multi-Port Suite for 802.3at for 1x PSL-3000 Chassis

PSL-3000 & PVA-3000

Combination PowerSync Programmable Load & PhyView Analyzer, 4- to 24-Ports

Included

PSL-3000	PowerSync Programmable Load Chassis with Controller
1-11 PVA-3102	PhyView Analyzer Test Card, 2-Port
1-11 PSL-3202	PowerSync Programmable Load Test Card for 802.3at/802.3bt, 2-Port

Optional

PSL-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSL-3000 Chassis
PSL-MPT	PSE Multi-Port Suite for 802.3at for 1x PSL-3000 Chassis
PVA-3000-PTS	PHY Performance Test Suite for 1x PSA-3000 Chassis
PVA-LI4	Module, Line Impairment (3 Mismatch 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 2 4 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000

PSL-3224

PowerSync Programmable Load System for 802.at/802.3bt, 24-Port, Chassis with Controller

Included

PSL-3224	PowerSync Programmable Load System for 802.at/802.3bt, 24-Port, Chassis with Controller
----------	---

Optional

PSL-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSL-3000 Chassis
PSL-MPT	PSE Multi-Port Suite for 802.3at for 1x PSL-3000 Chassis

PSL-3424A

PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports

Included

PSL-3424A	PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports
PSL-3424-QT	Automated Quick Inspection and Snaked Data Path Testing Software Feature

PSL-3424L

PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports including LLDP

Included

PSL-3424L	PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports including LLDP
-----------	--

Optional

PSL-3424-QT	Automated Quick Inspection and Snaked Data Path Testing Software Feature
-------------	--

PVA-3000PhyView Analyzer, 2- to 24-Port

Included

PSA-3000	PowerSync Analyzer Chassis with Controller
1-12 PVA-3102	PhyView Analyzer Test Card, 2-Port

Optional

PVA-3000-PTS	PHY Performance Test Suite for 1x PSA-3000 Chassis
PVA-LI4	Module, Line Impairment (3 Mismatch 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 2 4 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000

PVA-3002Compact PhyView Analyzer, 2-Port

Included

PVA-3002	Compact PhyView Analyzer, 2-Port
----------	----------------------------------

Optional

PVA-3002-PTS	PHY Performance Test Suite for 1x PVA-3002 Compact
PVA-LI4	Module, Line Impairment (3 Mismatch 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 2 4 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000
CASE-PSA	Carry Case, PSA-3002 & PVA-3002

Solutions Accessories

Optional

PVA-2CABLES	Cables, PVA, 1 Pair, Color-coded
CASE-PSA	Carry Case, PSA-3002 & PVA-3002
CASE-PDA	Carry Case, PDA & PSA-3402
RACKKIT-PDA	Rackmount Kit, PDA & PSA-3402

Standard CalibrationNew Hardware Calibrated at Factory. Calibration Service Option Prior to Shipment and Return to Factory Adds Test Data, Sticker and Certificate.

Optional

PDA-300-CAL	Factory Calibration, PDA-300
PSA-100-CAL	Factory Calibration, PSA-100
PSA-3002-CAL	Factory Calibration, PSA-3002
PSA-3002-SA-CAL	Factory Calibration, PSA-3002-SA
PSA-3102-CAL	Factory Calibration, PSA-3102
PSEAF-2L-PL-CAL	Factory Calibration, PSEAF-2L-PL
PSEAF-2L-CAL	Factory Calibration, PSEAF-2L
PSL-3102-CAL	Factory Calibration, PSL-3102

PVA-3002-CAL	Factory Calibration, PVA-3002
PVA-3102-CAL	Factory Calibration, PVA-3102
PVA-DCU-CAL	Factory Calibration, PVA-DCU
PVA-LI4-CAL	Factory Calibration, PVA-LI4
PVA-PL4-CAL	Factory Calibration, PVA-PL4
PSA-3000-CAL	Factory Calibration, PSA-3000 with <= 12x PSA-3202 and/or PSA-3102
PSL-3000-CAL	Factory Calibration, PSL-3000 with <= 12x PSL-3202 and/or PSL-3102
PSA-1200-CAL	Factory Calibration, PSA-1200 with <= 12x PSEAF-2L
PSA-1200-PL-CAL	Factory Calibration, PSA-1200-PL with <= 12x PSEAF-2L-PL
PVA-3000-CAL	Factory Calibration, PSA-3000 or PSL-3000 with <= 12x PVA-3102
PDA-602A-CAL	Factory Calibration, PDA-602A
PSA-3202-CAL	Factory Calibration, PSA-3202
PSL-3202-CAL	Factory Calibration, PSL-3202
PDA-602B-CAL	Factory Calibration, PDA-602B
PDA-604A-CAL	Factory Calibration, PDA-604A
PSA-3402-CAL	Factory Calibration, PSA-3402
PSL-3424-CAL	Factory Calibration, PSL-3424A OR PSL-3424L

Standard Repair

Return to Factory

Optional

PDA-300-REP	Standard Factory Repair, PDA-300
PDA-LLDP-REP	Standard Factory Repair, PDA-LLDP
PSA-100-REP	Standard Factory Repair, PSA-100
PSA-100-SA-REP	Standard Factory Repair, PSA-100-SA
PSA-3002-REP	Standard Factory Repair, PSA-3002
PSA-3002-SA-REP	Standard Factory Repair, PSA-3002-SA
PSA-3102-REP	Standard Factory Repair, PSA-3102
PSEAF-2L-PL-REP	Standard Factory Repair, PSEAF-2L-PL
PSEAF-2L-REP	Standard Factory Repair, PSEAF-2L
PSL-3000-CTL-REP	Standard Repair, PSL-3000 Controller
PSL-3102-REP	Standard Factory Repair, PSL-3102
PVA-3002-REP	Standard Factory Repair, PVA-3002
PVA-3102-REP	Standard Factory Repair, PVA-3102
PVA-DCU-REP	Standard Factory Repair, PVA-DCU
PVA-LI4-REP	Standard Factory Repair, PVA-LI4
PVA-PL4-REP	Standard Factory Repair, PVA-PL4
PSA-3000-REP	Standard Factory Repair, PSA-3000
PSL-3000-REP	Standard Factory Repair, PSL-3000

PSA-1200-REP	Standard Factory Repair, PSA-1200
PSA-1200-PL-REP	Standard Factory Repair, PSA-1200-PL
PDA-602A-REP	Standard Factory Repair, PDA-602A
PSA-3202-REP	Standard Factory Repair, PSA-3202
PSL-3202-REP	Standard Factory Repair, PSL-3202
PDA-602B-REP	Standard Factory Repair, PDA-602B
PDA-604A-REP	Standard Factory Repair, PDA-604A
PSA-3402-REP	Standard Factory Repair, PSA-3402