Sifos Product Configurations

PDA-602B	PoE Powered Device Analyzer for 802.3at 2-Pair, Type-1 PD Analysis

Included

	PDA-602B	PoE Powered Device Analyzer for 802.3at 2-Pair, Type-1 PD Analysis

Optional

	PDA-602-TYPE2	Type-2 PD Powering and Analysis using 802.3at 2-Event Classification for 1x PDA-602
	PDA-LLDP-AT	LLDP Protocol and Power Integrity Analysis for 802.3at PD Testing (Requires PDA-602-TYPE2 for PDA-602) for 1x PDA-602 or PDA-604A
	CASE-PDA	Carry Case, PDA & PSA-3402
	RACKKIT-PDA	Rackmount Kit, PDA & PSA-3402
	PDA-602-CT-AT	PD Conformance Test Suite and Load Monitor for Automated 802.3at PD Testing (Requires PDA-TYPE2) for 1x PDA-602

PDA-604A	PoE Powered Device Analyzer for 2-Pair/4-Pair PD Powering, 802.3at Type-1/2 PD Analysis, and 802.3bt 3-Event Classification

Included

	PDA-604A	PoE Powered Device Analyzer for 2-Pair/4-Pair PD Powering, 802.3at Type-1/2 PD Analysis, and 802.3bt 3-Event Classification

Optional

	PDA-LLDP-AT	LLDP Protocol and Power Integrity Analysis for 802.3at PD Testing (Requires PDA-602-TYPE2 for PDA-602) for 1x PDA-602 or PDA-604A
	CASE-PDA	Carry Case, PDA & PSA-3402
	RACKKIT-PDA	Rackmount Kit, PDA & PSA-3402
	PDA-604-CT-AT	PD Conformance Test Suite and Load Monitor for Automated 802.3at PD Testing for 1x PDA-604A
	PDA-604-TYPE3/4	Type-3/4 Powering & Analysis for 802.3bt using 4-Event and 5-Event Classification for 1x PDA-604A
	PDA-LLDP-BT	LLDP Protocol and Power Integrity Analysis for 802.3bt PD Testing (Requires PDA-TYPE3/4 & PDA-LLDP-AT) for 1x PDA-604A
	PDA-604-CT-BT	PD Conformance Test Suite for Automated 802.3bt PD Testing (Requires PDA-604-CT-AT and PDA-604-TYPE3/4) for 1x PDA-604A

PSA-3000	PowerSync Analyzer, 2- to 48-Port

Included

1-2	PSA-3000	PowerSync Analyzer Chassis with Controller
1-24	PSA-3202	PowerSync Analyzer Test Card for 802.at/802.3bt, 2-Port

Optional

1-2	PSA-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSA Controller
1-2	PSA-3000-MPT	PSE Multi-Port Suite for 2-Pair including Power Management Analyzer Suite and Multi-Port Live PD Emulation for 1x PSA-3000 Chassis

	PSA-CT2P-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
	PSA-CT2P-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
1-2	PSA-CT2P	PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (Requires PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX)
1-2	PSA-CT4P	PSE Conformance Test Suite for 4-Pair for 1x PSA Controller (Requires PSA-CT-TSX or PSA-CT-STSX)
	PSA-CT2P-STS1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
	PSA-CT2P-STS2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
	PSA-CT-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT-STS1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT-STS2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
	PSA-CT2P-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
	PSA-CT-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)
	PSA-CT2P-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
	PSA-CT-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-STSR required for expired PSA-CT-STSX for PSA-CT2P / PSA-CT4P)
1	PSA-48-QTD	Discount, Applies to Quantity 2x PSA-3000 with Quantity 24x PSA-3202 Configuration

PSA-3000 & PVA-3000 — Combination PowerSync Analyzer & PhyView Analyzer, 4- to 24-Ports

Included

	PSA-3000	PowerSync Analyzer Chassis with Controller
1-11	PVA-3102	PhyView Analyzer Test Card, 2-Port
1-11	PSA-3202	PowerSync Analyzer Test Card for 802.at/802.3bt, 2-Port

Optional

	PSA-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSA Controller

PSA-3000-MPT	PSE Multi-Port Suite for 2-Pair including Power Management Analyzer Suite and Multi-Port Live PD Emulation for 1x PSA-3000 Chassis
PVA-3000-PTS	PHY Performance Test Suite for 1x PSA-3000 Chassis
PVA-LI4	Module, Line Impairment (3 Mismatch | 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 | 2 | 4 | 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000
PSA-CT2P-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P	PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (Requires PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX)
PSA-CT4P	PSE Conformance Test Suite for 4-Pair for 1x PSA Controller (Requires PSA-CT-TSX or PSA-CT-STSX)
PSA-CT2P-STS1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P-STS2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-STS1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-STS2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT2P-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
PSA-CT-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)
PSA-CT2P-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
PSA-CT-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-STSR required for expired PSA-CT-STSX for PSA-CT2P / PSA-CT4P)

PSA-3002-SA — PoE Service Analyzer for 802.at, 2-Port

Included

PSA-3002-SA	PoE Service Analyzer for 802.at, 2-Port

PSA-3402 — Compact PowerSync Analyzer for 802.3at/802.3bt, 2-Port

Included

PSA-3402	Compact PowerSync Analyzer for 802.3at/802.3bt, 2-Port

Optional

PSA-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSA Controller
CASE-PDA	Carry Case, PDA & PSA-3402
RACKKIT-PDA	Rackmount Kit, PDA & PSA-3402
PSA-CT2P-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P	PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (Requires PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX)
PSA-CT4P	PSE Conformance Test Suite for 4-Pair for 1x PSA Controller (Requires PSA-CT-TSX or PSA-CT-STSX)
PSA-CT2P-STS1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT2P-STS2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair for 2x or More PSA Controller (PSA-CT2P-TSX, PSA-CT2P-STSX, PSA-CT-TSX, or PSA-CT-STSX required for PSA-CT2P)
PSA-CT-TS1	1-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-TS2	2-Year Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-STS1	1-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT-STS2	2-Year Site Tracking Service, PSE Conformance Test Suite for 2-Pair / 4-Pair for 2x or More PSA Controller (PSA-CT-TSX or PSA-CT-STSX required for PSA-CT2P / PSA-CT4P)
PSA-CT2P-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
PSA-CT-TSR	Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-TSR required for expired PSA-CT-TSX for PSA-CT2P / PSA-CT4P)
PSA-CT2P-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair for 1x PSA Controller (PSA-CT2P-TSR required for expired PSA-CT2P-TSX for PSA-CT2P)
PSA-CT-STSR	Site Tracking Service Re-activation Fee, PSE Conformance Test Suite for 2-Pair / 4-Pair for 1x PSA Controller (PSA-CT-STSR required for expired PSA-CT-STSX for PSA-CT2P / PSA-CT4P)

PSL-3000 — PowerSync Programmable Load System, 2- to 24-Port

Included

	PSL-3000	PowerSync Programmable Load Chassis with Controller
1-12	PSL-3202	PowerSync Programmable Load Test Card for 802.3at/802.3bt, 2-Port

Optional

	PSL-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSL-3000 Chassis
	PSL-3000-MPT	PSE Multi-Port Suite for 2-Pair including Power Management Analyzer Suite and Multi-Port Live PD Emulation for 1x PSL-3000 Chassis

PSL-3000 & PVA-3000

Combination PowerSync Programmable Load & PhyView Analyzer, 4- to 24-Ports

Included

	PSL-3000	PowerSync Programmable Load Chassis with Controller
1-11	PVA-3102	PhyView Analyzer Test Card, 2-Port
1-11	PSL-3202	PowerSync Programmable Load Test Card for 802.3at/802.3bt, 2-Port

Optional

	PSL-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSL-3000 Chassis
	PSL-3000-MPT	PSE Multi-Port Suite for 2-Pair including Power Management Analyzer Suite and Multi-Port Live PD Emulation for 1x PSL-3000 Chassis
	PVA-3000-PTS	PHY Performance Test Suite for 1x PSA-3000 Chassis
	PVA-LI4	Module, Line Impairment (3 Mismatch | 1 Crosstalk)
	PVA-PL4	Module, Passive Loss (1 | 2 | 4 | 8 dB)
	PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000

PSL-3224

PowerSync Programmable Load System for 802.at/802.3bt, 24-Port, Chassis with Controller

Included

	PSL-3224	PowerSync Programmable Load System for 802.at/802.3bt, 24-Port, Chassis with Controller

Optional

	PSL-LLDP	LLDP Emulation & Analysis for 802.3at & 802.3bt for 1x PSL-3000 Chassis
	PSL-3000-MPT	PSE Multi-Port Suite for 2-Pair including Power Management Analyzer Suite and Multi-Port Live PD Emulation for 1x PSL-3000 Chassis

PSL-3424A

PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports

Optional

	PSL-3424A	PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports
	PSL-3424-QT	Automated Quick Inspection and Snaked Data Path Testing for 1x PSL-3424A or L Chassis
	PSL-3424-EMUL	Multi-Port Live PD Emulation for 1x PSL-3424A or L Chassis
	PSL-3424-PMA	PSE Power Management Analyzer Suite for 2-Pair, 4-Pair, and Hybrid-Pair (Requires PSL-3424-EMUL Multi-Port Live PD Emulation) for 1x PSL-3424A or L Chassis

PSL-3424L	PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports including LLDP

Optional

	PSL-3424L	PowerSync Programmable Load Chassis with Controller for 802.3at/802.3bt, 24-Ports including LLDP
	PSL-3424-QT	Automated Quick Inspection and Snaked Data Path Testing for 1x PSL-3424A or L Chassis
	PSL-3424-EMUL	Multi-Port Live PD Emulation for 1x PSL-3424A or L Chassis
	PSL-3424-PMA	PSE Power Management Analyzer Suite for 2-Pair, 4-Pair, and Hybrid-Pair (Requires PSL-3424-EMUL Multi-Port Live PD Emulation) for 1x PSL-3424A or L Chassis

PSL-3424M-16	PowerSync Multiplexed Programmable Load Chassis with Controller for 802.3at/802.3bt, 16x Multiplexed Ports, Includes PowerShell PSA Software

Included

1	PSL-3424M-16	PowerSync Multiplexed Programmable Load Chassis with Controller for 802.3at/802.3bt, Multiplexed 16-Ports (8x2), Includes PowerShell PSA Software

Optional

1	PSL-3424M-PSAI	PowerSync Interactive GUI for 1x PSL-3424M Chassis
1	PSL-3424M-QT	Automated Quick Inspection and Snaked Data Path Testing (Requires PSL-3424M-PSAI PowerSync Interactive GUI) for 1x PSL-3424M Chassis

PSL-3424M-24	PowerSync Multiplexed Programmable Load Chassis with Controller for 802.3at/802.3bt, 24x Multiplexed Ports, Includes PowerShell PSA Software

Included

1	PSL-3424M-24	PowerSync Multiplexed Programmable Load Chassis with Controller for 802.3at/802.3bt, Multiplexed 24-Ports (12x2), Includes PowerShell PSA Software

Optional

1	PSL-3424M-PSAI	PowerSync Interactive GUI for 1x PSL-3424M Chassis
1	PSL-3424M-QT	Automated Quick Inspection and Snaked Data Path Testing (Requires PSL-3424M-PSAI PowerSync Interactive GUI) for 1x PSL-3424M Chassis

PSL-3424M-8	PowerSync Multiplexed Programmable Load Chassis with Controller for 802.3at/802.3bt, 8x Multiplexed Ports, Includes PowerShell PSA Software

Included

1	PSL-3424M-8	PowerSync Multiplexed Programmable Load Chassis with Controller for 802.3at/802.3bt, Multiplexed 8-Ports (4x2), Includes PowerShell PSA Software

Optional

1	PSL-3424M-PSAI	PowerSync Interactive GUI for 1x PSL-3424M Chassis
1	PSL-3424M-QT	Automated Quick Inspection and Snaked Data Path Testing (Requires PSL-3424M-PSAI PowerSync Interactive GUI) for 1x PSL-3424M Chassis

PVA-3000	PhyView Analyzer, 2- to 24-Port

Included

	PSA-3000	PowerSync Analyzer Chassis with Controller
1-12	PVA-3102	PhyView Analyzer Test Card, 2-Port

Optional

PVA-3000-PTS	PHY Performance Test Suite for 1x PSA-3000 Chassis
PVA-LI4	Module, Line Impairment (3 Mismatch | 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 | 2 | 4 | 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000

PVA-3002

Compact PhyView Analyzer, 2-Port

Included

PVA-3002	Compact PhyView Analyzer, 2-Port

Optional

PVA-3002-PTS	PHY Performance Test Suite for 1x PVA-3002 Compact
PVA-LI4	Module, Line Impairment (3 Mismatch | 1 Crosstalk)
PVA-PL4	Module, Passive Loss (1 | 2 | 4 | 8 dB)
PVA-DCU	PoE DC Unbalance Module (Alt A/B, Forward and Reverse Channels) for PVA-PTS DC Unbalance Analysis using PSA/PSL-3000
CASE-PSA	Carry Case, PSA-3002 & PVA-3002

Solutions Accessories

Optional

PVA-2CABLES	Cables, PVA, 1 Pair, Color-coded
CASE-PSA	Carry Case, PSA-3002 & PVA-3002
CASE-PDA	Carry Case, PDA & PSA-3402
RACKKIT-PDA	Rackmount Kit, PDA & PSA-3402

Standard Calibration

New Hardware Calibrated at Factory. Calibration Service Option Prior to Shipment and Return to Factory Adds Test Data, Sticker and Certificate.

Optional

PDA-300-CAL	Factory Calibration, PDA-300
PSA-100-CAL	Factory Calibration, PSA-100
PSA-3002-CAL	Factory Calibration, PSA-3002
PSA-3002-SA-CAL	Factory Calibration, PSA-3002-SA
PSA-3102-CAL	Factory Calibration, PSA-3102
PSEAF-2L-PL-CAL	Factory Calibration, PSEAF-2L-PL
PSEAF-2L-CAL	Factory Calibration, PSEAF-2L
PSL-3102-CAL	Factory Calibration, PSL-3102
PVA-3002-CAL	Factory Calibration, PVA-3002
PVA-3102-CAL	Factory Calibration, PVA-3102
PVA-DCU-VER	Factory Verification, PVA-DCU

PVA-LI4-VER	Factory Verification, PVA-LI4
PVA-PL4-VER	Factory Verification, PVA-PL4
PSA-3000-CAL	Factory Calibration, PSA-3000 with <= 12x PSA-3202 and/or PSA-3102
PSL-3000-CAL	Factory Calibration, PSL-3000 with <= 12x PSL-3202 and/or PSL-3102
PSA-1200-CAL	Factory Calibration, PSA-1200 with <= 12x PSEAF-2L
PSA-1200-PL-CAL	Factory Calibration, PSA-1200-PL with <= 12x PSEAF-2L-PL
PVA-3000-CAL	Factory Calibration, PSA-3000 or PSL-3000 with <= 12x PVA-3102
PDA-602A-CAL	Factory Calibration, PDA-602A
PSA-3202-CAL	Factory Calibration, PSA-3202
PSL-3202-CAL	Factory Calibration, PSL-3202
PDA-602B-CAL	Factory Calibration, PDA-602B
PDA-604A-CAL	Factory Calibration, PDA-604A
PSA-3402-CAL	Factory Calibration, PSA-3402
PSL-3424-CAL	Factory Calibration, PSL-3424A & L
PSL-3424M-8-CAL	Factory Calibration, PSL-3424M-8
PSL-3424M-16-CAL	Factory Calibration, PSL-3424M-16
PSL-3424M-24-CAL	Factory Calibration, PSL-3424M-24

Standard Repair — Return to Factory

Optional

PDA-300-REP	Standard Factory Repair, PDA-300
PDA-LLDP-REP	Standard Factory Repair, PDA-LLDP
PSA-100-REP	Standard Factory Repair, PSA-100
PSA-100-SA-REP	Standard Factory Repair, PSA-100-SA
PSA-3002-REP	Standard Factory Repair, PSA-3002
PSA-3002-SA-REP	Standard Factory Repair, PSA-3002-SA
PSA-3102-REP	Standard Factory Repair, PSA-3102
PSEAF-2L-PL-REP	Standard Factory Repair, PSEAF-2L-PL
PSEAF-2L-REP	Standard Factory Repair, PSEAF-2L
PSL-3102-REP	Standard Factory Repair, PSL-3102
PVA-3002-REP	Standard Factory Repair, PVA-3002
PVA-3102-REP	Standard Factory Repair, PVA-3102
PVA-DCU-REP	Standard Factory Repair, PVA-DCU
PVA-LI4-REP	Standard Factory Repair, PVA-LI4
PVA-PL4-REP	Standard Factory Repair, PVA-PL4
PSA-3000-REP	Standard Factory Repair, PSA-3000
PSL-3000-REP	Standard Factory Repair, PSL-3000
PSA-1200-REP	Standard Factory Repair, PSA-1200

PSA-1200-PL-REP	Standard Factory Repair, PSA-1200-PL
PDA-602A-REP	Standard Factory Repair, PDA-602A
PSA-3202-REP	Standard Factory Repair, PSA-3202
PSL-3202-REP	Standard Factory Repair, PSL-3202
PDA-602B-REP	Standard Factory Repair, PDA-602B
PDA-604A-REP	Standard Factory Repair, PDA-604A
PSA-3402-REP	Standard Factory Repair, PSA-3402
PSL-3424-REP	Standard Factory Repair, PSL-3424A & L, Contact Sifos
PSL-3424M-REP	Standard Factory Repair, PSL-3424M, Contact Sifos

Std. Hardware Upgrades

Factory Hardware Upgrades

Optional

PSA-3000U	Upgrade, PSA-3000 Version A to B
PDA-604AU	Hardware Upgrade, PDA-602B to PDA-604A
PSL-3424M-ADD8	PSL-3424M-8 or PSL-3424M-16 Add 8-Ports, Return to Factory Upgrade
PSL-3424M-ADD16	PSL-3424M-8, Add 16-Ports, Factory Upgrade