Sifos Technologies

Innovation and Leadership in:

- ✓ **Power over Ethernet Test**
- ✓ **Ethernet Twisted Pair Physical Layer Test**

Verification, *Simplified.*

Copyright 2025 Sifos Technologies, Inc.

Sifos Technologies:

- Founded: 2003
- Location: Andover, Massachusetts USA
- Employee Owned and Operated, Self-Funded

Sifos Technologies
20 miles (32 kM) north of Boston, MA

Principals:

- Deep Backgrounds in Test & Measurement with HP / Agilent Technologies
- Key Contributors to IEEE 802.3 PoE Specifications

Representation / Distribution / Support:

- *North America:* AMASCO (US West), Contech (North Mid-Atlantic), NCS (Midwest), ProTEQ (MidAtlantic), Gillaspy (Southwest, Mountain States) Sunforce (Southeast), Sifos Authorized Rep (Canada), Sifos (New England)
- *Asia:* Paralink (China, Taiwan), Fastech (India), Toyo (Japan), Unitel (Korea), TTS (Australia), TekNoEx (ASEAN)
- *Europe:* FS_Trading & Consulting (Central Europe), Indes (Benelux), EWE (Nordic, Baltic States), RDT (Israel), Netmetrix (Italy & Spain), eNGN (Portugal), Sifos (UK), Sifos Authorized Rep (France), Treatface (CIS)

Copyright 2025 Sifos Technologies, Inc.

PoE Test Solutions from Sifos

PoE Landscape in 2025

- PSE's & PD's Continue to Proliferate
  - Common Feature of Ethernet Switches
  - PD Diversification (Phones, WAPs, Cameras, Terminals, IOT, Lighting, Controls, Displays…)
  - IEEE 802.3at: 2-Pair Powering of Type-1 (13W) and Type-2 (25.5W) PD's
  - IEEE 802.3bt : 4-Pair Powering of Type-3 (51W) and Type-4 (71W) PD's
    2-Pair Powering of Type-3 (13W, 25.5W) PD's
- Interop Testing is Ancient History
  - Wide PSE (802.3at and 802.3bt) Specification Latitude
  - Many Diverse Implementations (PoE Silicon, Power Management Strategies, etc.)
- Silicon Versus Systems
  - PSE Silicon is Highly Programmable – Hardware & Firmware Decide Conformance
  - PSE Specification Conformance Dependent on both Silicon and PSE System Firmware
  - Many PSE Conformance Issues will be Intermittent Behaviors
  - Many Critical PD Conformance Features Not Governed by PD Silicon
  - Many Permutations of PD Power Needs Versus PSE Power Limits
- The LLDP Challenge
  - Layer 2 (MAC) Protocol Required of Type-2 , Type-3, and Type-4 PD's
  - Enables PSE Power Management to 0.1W Per Port
  - Requires PD's to have at least one low power (e.g. 13W loading) state
- The Power Management Challenge
  - PSE's Budget From 1W to 90W per PSE Port
  - Multi-Port System Management Must Allocate Shared Power Resource

Copyright 2025 Sifos Technologies, Inc.

PSE Test Solutions (Instruments)

Sifos® Technologies

Process

COMPLIANCE ■ SYSTEM ■ FINAL TEST

PSL-3424M

8, 16, or 24 Ports

PSL-3424A, PSL-3424L

24 Ports

2/4-Pair Live PD Emulation

2/4-Pair PMA

2-24 Ports

2-Pair CTS

4-Pair CTS

2-Pair PMA

LLDP

PSA-3000

PSL-3000, PSL-3224

2-24 Ports

2-Pair PMA

LLDP

PSA-3402

2 Ports

2-Pair CTS

4-Pair CTS

LLDP

Task

EVALUATION ■ DESIGN ■ VALIDATION ■ MANUFACTURE

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PSE Test Solutions (Automated Tests)

Sifos® Technologies

Process

COMPLIANCE ■ SYSTEM ■ FINAL TEST

One-Click PSE Waveforms



PSA-3000, PSA-3402

PSE Power Management Analyzer (PMA) Suites



PSL-3424, PSA/PSL-3000



PSA/PSL Quick Tests

All Instruments



Snaked Data & PoE Testing

PSL-3424



802.3 Conformance Test Suites (CTS)



PoE LLDP Emulation & Analysis

Task

EVALUATION ■ DESIGN ■ VALIDATION ■ MANUFACTURE

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PSE Test Solutions from Sifos

PowerSync® Analyzer (PSA-3000, PSA-3402)



- Flexible emulation of 802.3at and 802.3bt PD's with **highly programmable** detection/classification signatures, inrush loads, transient loads, and steady state loads >99W per test slot (>49W per test port) with loading controlled per 4-pair pairset
- Powerful metering and analysis including **one-click stimulus/response waveforms**, flexible trace, average, and peak metering, powerful edge and event triggering, AC ripple noise, and precise time interval measurements.
- **Scalable** from 2 to 24 test ports with intelligent chassis cooling
- PSA Interactive graphical user interface, PowerShell PSA automated scripting software, and comprehensive documentation enables **rapid productivity**
- LAN data THRU port passes LAN data from each test port
- PSA **Quick Test** fully automated, rapid executing functional test for 2 to 8 2-Pair (30W) ports (PSA-3000 only)
- Commercial test equipment **fully certified** for safety and emissions/susceptibility compliance (CSA, CE, FCC) to >99 watt continuous load per slot (or port pair)

Licensed Options

- The "**industry standard**" **2-Pair** powering (802.3at, 802.3bt) and **4-Pair** powering (802.3bt) **fully automated** PSE Conformance Test Suites used by PSE silicon vendors, OEM designers, and PSE vendors worldwide
- Flexible PoE **LLDP emulation and analysis** of 802.3at and 802.3bt PoE LLDP protocols and power granting integrity
- Multi-Port Suite including **Power Management** Analyzer and **Live PD Emulation** for **2-Pair** powering PSE's up to 192 total 15W or 30W ports

Copyright 2025 Sifos Technologies, Inc.

PSE Test Solutions from Sifos

PowerSync® Programmable Load (PSL-3424A, PSL-3424M)

- Flexible emulation of 802.3at and 802.3bt PD's with **programmable** detection/classification signatures, inrush loads, transient loads, and steady state loads up >99W **per test port** (x 24 test ports) with loading per pairset
- DC Metering of **average and peak** voltage, average and peak current (2-pair or 4-pair), and average power (2-pair or 4-pair)
- **Event triggered** meters (voltage, current) may be synchronized to transients and to measurements on multiple test ports
- Flexible **PoE LLDP** emulation and Compliance Testing of 802.3at and 802.3bt PoE LLDP protocols and power granting integrity (***PSL-3424L*** *only*)
- PSA Interactive graphical user interface, PowerShell PSA automated scripting software, and comprehensive documentation enables **rapid productivity**
- LAN data **internal loopback** between odd and even numbered ports on each slot
- Commercial test equipment **fully certified** for safety and emissions/susceptibility compliance (CSA, CE, FCC) to >99 watt continuous load per test port

Licensed Options

- **Live PD Emulation** for 2-Pair, 4-Pair, or hybrid 2-Pair/4-Pair emulation of up to 96 always connected PD's
- Fully automated **Power Management Analyzer** Suite for 2-Pair, 4-Pair, or hybrid 2-Pair/4-Pair powering PSE's up to 96 total ports ranging 15W to 90W each
- PSL-3424 **Quick Test** rapid executing functional test for 2 to 8 2-Pair (30W) or 4-Pair (90W) powering ports combined with graphical user interface menu to establish and verify **PoE loaded snaked data test** configurations

Copyright 2025 Sifos Technologies, Inc.

PSE Test Solutions from Sifos



PowerSync® Programmable Load (PSL-3000, PSL-3224)

- Flexible emulation of 802.3at and 802.3bt PD's with **highly programmable** detection/classification signatures and steady state loads up >99W per test slot (>49W per test port) with loading controlled per 4-pair pairset
- DC Metering of average voltage, average current (2-pair or 4-pair), and average power (2-pair or 4-pair) with selectable 100msec and 1 second apertures
- PSL-3000 is **scalable** from 2 to 24 test ports with intelligent chassis cooling, PSL-3224 is fixed 24 test ports at lower cost per port
- PSA Interactive graphical user interface, PowerShell PSA automated scripting software, and comprehensive documentation enables **rapid productivity**
- PSL **Quick Test** fully automated, rapid executing functional test for 2 to 8 2-Pair (30W) powering ports
- Commercial test equipment **fully certified** for safety and emissions/susceptibility compliance (CSA, CE, FCC) to >99 watt continuous load per slot (or port pair)

Licensed Options

- Flexible PoE **LLDP emulation and analysis** of 802.3at and 802.3bt PoE LLDP protocols and power granting integrity
- Multi-Port Suite including **Power Management Analyzer** and **Live PD Emulation** for 2-Pair powering PSE's up to 192 total 15W or 30W ports

Copyright 2025 Sifos Technologies, Inc.

PSE Test Solutions from Sifos

PowerSync® Programmable Load Multiplexer (PSL-3424M)

- **Scalable** from 2x4, 2x8, or 2x12 multiplexed ports capable of connecting to 8, 16, or 24 PSE ports and simultaneously loading 4, 8, or 12 PSE ports
- **Very low cost** PoE load architected for PSE test automation strategies
- Flexible emulation of 802.3at and 802.3bt single signature PD's with **selectable** detection/classification signatures, inrush loads, transient loads, and steady state loads up >99W **per test slot** (x 4, 8, or 12 test slots)
- DC Metering of **average and peak** voltage, average and peak current (2-pair or 4-pair), and average power (2-pair or 4-pair)
- **Event triggered** meters (voltage, current) may be synchronized to transients and to measurements on multiple test ports
- PowerShell PSA automated scripting software and comprehensive documentation enables **easy test automation**
- Electrically hardened interfaces to withstand electrical surges from compliance tests
- Commercial test equipment **fully certified** for safety and emissions/susceptibility compliance (CSA, CE, FCC) to >99 watt continuous load per slot (or port pair)

Licensed Options

- (PSL-3424M Quick Test, PSA Interactive Support TBA – 2025)

Copyright 2025 Sifos Technologies, Inc.

PoE Test Solutions from Sifos

PSE Conformance Test Suite for 4-Pair 802.3bt PSE's

- **Fully automated** port sequencing and statistics to 24 ports/PSA-3000
- **Extensive coverage** of single and dual signature emulations and PSE responses covering all Type-3 and Type-4 PSE's
- Sophisticated 4-Pair signaling capture and analysis processes
- Over **300 parameters** reported per PSE port
- Supports non-LLDP and **LLDP** capable PSE's
- **De facto standard**: Used by PSE silicon vendors, OEM's, and end product vendors worldwide to qualify PSE designs
- Configurable waveform **trace diagnostic** generation and retention
- **Colorful and informative** spreadsheet reporting
- Supported on PSA-3000 and PSA-3402



4-Pair PSE Conformance Test Software & Reporting

Approved for 1st Party Gen2 EA Logo Certification Testing of 802.3bt PSE's!

EA Certified 2.0™

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PoE Test Solutions from Sifos

PSE Conformance Test Suite for 2-Pair 802.3at & 802.3bt PSE's

- **Fully automated** port sequencing and statistics
- Greater than **95%** 802.3at PICS coverage from 23 tests producing more than 70 IEEE 802.3at test parameters per port
- Fully emulates all **Type-1** (PD class 0, 1, 2, or 3) and **Type-2** (PD class 4) PD's including **LLDP-Capable** PD's
- **Adapts** to all prevalent PSE signaling and power behaviors, including proprietary "legacy" detection behaviors
- **De facto standard**: Used by PSE silicon vendors, OEM's, and end product vendors worldwide to qualify PSE designs
- Configurable waveform **trace diagnostic** generation and retention
- **Colorful and informative** spreadsheet reporting
- Supported on PSA-3000 and PSA-3402



2-Pair PSE Conformance Test Software & Reporting

Approved for 1st Party Gen1 EA Logo Certification Testing of 802.3at PSE's!

EA Certified™

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PoE Test Solutions from Sifos

PSL-3424 Power Management Analysis of 2-pair, 4-pair, hybrid 2/4-pair PSE's

- Analyze PSE's with **any combination** of 2-Pair (30W) and 4-Pair (up to 90W) ports using PSL-3424A or PSL-3424 instruments
- Multi-Port **Live PD Emulation**
  - Flexibly mimic class 0 to class 8 PD per PSL-3424 test port
  - Configure **up to 96 802.3 PD's** with loading up to 100W / Port
  - Evaluate PoE port **administration behaviors** with PD's that are always connected
  - Emulated PD's automatically restrict loads to **assigned class**
  - Optional **cable loss load escalation** based on load and voltage
  - Emulate 802.3at and 802.3bt PoE **LLDP** negotiations and power adjustments (*PSL-3424L only*)
  - Support snaked data path traffic while emulating PD's



Live PD Emulation Configuration & Status Monitor

- PSL-3424 **Power Management Analyzer** (PMA) Suite
  - One-of-a-kind system for PSE Power Management behavioral analysis
  - **Automatically** assess PM stability & capacity management
  - Tests 802.3at/bt PSE's with **any combination** of 2-Pair and 4-Pair PSE ports
  - Tests PSE's that grant power with multi-event, LLDP, or both multi-event and LLDP
  - **Automatically adapts** to PSE maximum assigned class (MAC) and power demotions on 2-Pair and 4-Pair ports
  - Highly informative reports cover dozens of parameters using colorful graphics
  - Tests PSE's with up to 96 PoE ports

PM Analyzer Suite for 2/4-Pair PSE System Analysis



Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PoE Test Solutions from Sifos

PSA/PSL-3000 Multi-Port Suite for 2-Pair PSE Systems Analysis

- Analyze 2-Pair powering 802.3at and 802.3bt PSE's using PSA-3000 or PSL-3000 instruments
- Multi-Port **Live PD Emulation**
  - Flexibly mimic class 0 to class 4 PD per test port
  - Configure **up to 192 802.3 PD's** with loading up to 34W / Port
  - Evaluate PoE port **administration behaviors** with PD's that are always connected
  - **Configurable cable loss** load escalation based on load and voltage
  - Emulate 802.3at PoE **LLDP** negotiations and power adjustments (*requires LLDP license*)
  - Support snaked data path traffic while emulating PD's
- PSA/PSL-3000 **Power Management Analyzer** (PMA) Suite
  - In-depth system testing of 2-Pair (30W) PSE's
  - Concurrently analyze **up to 192 PSE Ports**
  - **Fully automated** testing and reporting
  - Assess PSE power **administration decisions** and **power management behaviors**
  - Robust emulation of Type-1 or Type-2 PD's including PoE **LLDP** power negotiation emulation
  - **Easily configured**, single sequence testing including static and transient reserve capacity analysis, uncertainty metrics, and uniformity metrics
  - Assess PSE power reliability/durability over time



Live PD Emulation Configuration & Status Monitor



PM Analyzer Suite for 2-Pair PSE System Analysis

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PoE Test Solutions from Sifos

Multi-Port High Throughput PSE Quick Inspection Tests



- **Standard feature** with PSA-3000 and PSL-3000
  - Test 2-Pair 802.3at/802.3bt PSE's
  - Supports optional LLDP* power negotiations
  - Source code provided
  - Test between 4 and 8 ports at a time
- Optional feature with PSL-3424A and PSL-3424L
  - Test 2-Pair and **4-Pair 802.3at/802.3bt** PSE's
  - Supports optional LLDP* power negotiation and testing
  - Test between 2 and 8 ports at a time
- Recover critical PoE parameters from PSE ports within as little as 12 seconds (PSA-3000, PSL-3424) or 25 seconds (PSL-3000) per port tested
- Typical Test Coverage:
  - Validate PoE detection acceptance and rejection ranges
  - Measure PSE port voltage at minimum and maximum load conditions
  - Verify PSE port power capacity and integrity
  - Assess disconnect power removal response and timing**
  - Assess overload power removal** and power-type threshold
  - Assess LLDP* power allocations and associated timing
  - PASS/FAIL parameter output provided in formatted text reports

* LLDP testing requires PSA/PSL LLDP feature license (PSA/PSL-3000) or PSL-3424L

** Timing Analysis available with Quick Test for PSA-3000

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PSA 5.4 Software PSA-3000 & PSL-3000 Platforms

PSA 5.4 Software: *Seamless Integration*

- PSA-3000, PSL-3000, PSL-3424 instruments
- PSA Interactive graphical user interface adapts to each instrument
- PowerShell PSA script development and automation environment including Notepad++ editor for PowerShell PSA











Copyright 2025 Sifos Technologies, Inc.

PD Test Solutions from Sifos

Process

COMPLIANCE ■ SYSTEM ■ FINAL TEST

PDA-602B

802.3at PD's
Type-2 Testing
802.3at CTS
802.3at LLDP

PoE LLDP Emulation & Analysis



Robust Windows API



802.3 Conformance Test Suites

Real Time Load Monitor



PDA-604A

802.3bt PD's
802.3at PD's
Type-3/4 Testing
802.3bt and
802.3at CTS
802.3bt and
802.3at LLDP

Task

EVALUATION ■ DESIGN ■ VALIDATION ■ MANUFACTURE

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

PoE Test Solutions from Sifos

PDA-604A Powered Device Analyzer

- Powered Device Verification for IEEE **802.3at** & **802.3bt** PD's
- **Scalable** Platform:
  - Base Platform: 2-Pair and 4-Pair powering, 802.3at emulations
  - License Option: Type-3/Type-4 power granting & emulations
  - License Option: **802.3at** automated PD conformance test suite
  - License Option: **802.3bt** automated PD conformance test suite
  - License Option: LLDP emulation and analysis for 802.3at
  - License Option: LLDP emulation and analysis for 802.3bt
- Powerful PC hosted graphical user interface software
- **Robust metering** of 2-Pair and 4-Pair voltage, current, and power at the PD interface
- Robust, **fully automated** 802.3at and 802.3bt PD Conformance Test Suites
  - **Real Time Load Monitor** Included with Conformance Test Suites
- Analyzes **PD PoE LLDP** protocols and negotiation integrity with 10/100/1000Base-T PD interface
- 10/100/1000 switched connection for PD management
- LAN bypass mode supports multi-gig links
- **Plug'n Play** USB interface for control
- Tcl scripting automation and Windows (DLL) programming library

Approved for 1st Party Gen1 and Gent2 EA Logo Certification Testing of 802.3at and 802.3bt PD's!

EA Certified 2.0™

PDA Interactive Version 3 Software for 802.3at and 802.3bt PD Analyses



Copyright 2025 Sifos Technologies, Inc.
Verification, Simplified.

PoE Tests Solutions from Sifos

PDA-602B Powered Device Analyzer

- Powered Device Verification for IEEE 802.3at PD's
- **Scalable** Platform:
  - Base Platform: 802.3at Type-1 emulations and monitoring
  - License Option: 802.3at Type-2 emulations and monitoring
  - License Option: 802.3at Automated conformance test suite
  - License Option: PoE LLDP emulation and protocol analysis
- Powerful PC hosted graphical user interface software
- **Robust metering** of 2-Pair voltage, current, and power at the PD interface
- Robust, **fully automated** 802.3at PD conformance test suite and **real time load monitor**
  - > 85% 802.3at PD PIC's Coverage!
- Analyzes 802.3at **PoE LLDP** Protocols and negotiation integrity with 10/100/1000Base-T PD Interface
- 10/100/1000 switched connection for PD management
- **Plug'n Play** USB interface for control
- Tcl scripting automation and Windows (DLL) programming library

Approved for 1st Party Gen1 EA Logo Certification Testing of 802.3at PD's!

EA Certified™



PDA Interactive Version 3 Software for 802.3at and 802.3bt PD Analyses

Copyright 2025 Sifos Technologies, Inc.

Ethernet PHY Test Solutions from Sifos

Twisted Pair Ethernet Testing Traditions

- **IEEE 802.3 methods**
  - Concentrated on transmitters only
  - Challenging & laborious
    - *High Expertise Required*
  - Difficult to automate
    - *Exotic time domain measurements*
    - *Interfacing and calibration challenges*
  - Requires access to PHY silicon tests modes
    - *Vulnerable to specification "cheating" when test modes are turned off*
- **IEEE 802.3 testing practice**
  - Silicon vendor "service"
  - Test laboratories (e.g. UNH-IOL)
  - LOW sample testing !
    - *One port or one pair of one port*
- **Packet flow testing**
  - FUNCTIONAL, but not PHYSICAL
  - No defect visibility
  - Requires multi-port, bridging DUT
  - Vulnerable to defect hiding
    - *1000BaseT FEC*
    - *TCP packet re-transmissions*

Specialized Ethernet PHY Test Fixtures from Scope Vendors





Gigabit Ethernet Test Signal #1 PHY Register 9 Bits 13-15



Limited Defect Resolution from Packet Flow Test

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

Ethernet PHY Test Solutions from Sifos

Sifos® Technologies

Process

COMPLIANCE ■ SYSTEM ■ FINAL TEST

PVA Fixed Impairment Modules





PSE DC Unbalance Analysis



PHY Performance Test Suite



PVA Veriphy Rapid Multi-Port Testing

PVA-3002

2 Ports

PHY Test Suite

PVA-3000

2-24 Ports

PHY Test Suite

Task

EVALUATION ■ DESIGN ■ VALIDATION ■ MANUFACTURE

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

Ethernet PHY Solutions from Sifos

PVA-3000 PhyView Analyzer

PVA-3000
PhyView Analyzer

- Comprehensive **physical** layer testing that **anyone** can perform on **any product**
  - Fully automated, plug ’n play analysis
  - No scopes, fixtures, probes, generators, silicon test modes, or cable spools
  - Unique patented technology (US patent 9,203,730)
- Provides **transmitter**, **receiver**, **auto-negotiation**, and **interface** test coverage on up to 24 DUT ports (96 gigabit pairs) with single button press
  - Transmitter testing during normal linked port operation – avoids test signal “tricks”
  - Stressed receiver testing with controlled passive and active impairments
- Exposes and identifies 10/100/1000 interface defects that are hidden to or undiagnosed by ordinary packet flow testing
- Resolves marginal Ethernet ports **effortlessly** – efficient pre-screen for traditional Ethernet compliance evaluations
- Tests **anything LAN**: Active 10/100/1000BaseT interfaces, cables, service outlet quality, link components, even PoE effects like DC unbalance tolerance!

PhyView Analyzer
Wins 2012
Best in Test
T&M World

PVA-3002
Compact
PhyView Analyzer

Copyright 2025 Sifos Technologies, Inc.
Verification, *Simplified.*

Ethernet PHY Solutions from Sifos

PhyView Analyzer Metrology

- Link configuration and link assessment
  - Link status and stability
  - Link partner capability / adaptability
  - Auto-negotiation and link-up timing
- Transmission measurements
  - Power spectral distortion (PSD)
  - Residual distortion (SNR)
  - Wideband transmit power level
  - Pair timing skew
- Interface measurements
  - Wideband (bulk) return loss
  - Wideband (bulk) crosstalk



PSD Measurements Color-Coded by Pair



SNR Depicts Residual Distortion & Noise

PhyView Analyzer Receiver Testing

- Precisely controlled impairments
  - IEEE 802.3 maximum insertion loss
  - Alien crosstalk ingress noise
  - Programmable timing offset
  - Programmable Tx jitter impairment
  - Programmable Tx level & slew
  - Fixed mismatch impairment
- Link stability under impairment
  - Single port or multi-port DUT's
  - Gigabit remote receiver error tally
  - Link up status tally
- Packet flow under impairment
  - Layer 2 frame counting/packet loss



IEEE Worst Case Line Insertion Loss Emulation



Programmable Jitter Impairment Profile

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

Ethernet PHY Test Solutions from Sifos

The PHY Performance Test Suite

By far…the most automated 10/100/1000BaseT PHY test…In the world.

- Link-up and **Auto-Negotiation** analysis
- **Transmission**, **Interface**, and **Impaired Receiver** tests
- Automatically adaptive to DUT capabilities
  - 10/100/1000BaseT
  - MDI/MDI-X/MDI+MDI-X
  - Master/Slave/Master+Slave
- Fully sequence-able
  - 1 – 24 ports per sequence
  - User test selection
  - Just one mouse click
- **Colorful**, **informative** pop-up reporting
  - Microsoft Excel spreadsheets
  - Pass/Fail limit checking & notation
  - Graphical presentations
  - Synthesized estimations of 802.3 parameters



One-Button Test Sequencing & Reporting In PVA Interactive host software



PHY Performance Test Report (one page per port tested)



Fully Automated DC Unbalance Test for 2-Pair and 4-Pair PSE's !

Copyright 2025 Sifos Technologies, Inc.

Verification, Simplified.

Ethernet PHY Solutions from Sifos

PVA-VeriPhy Automated Testing

- **Rapid screening** of 10/100/1000Base-T ports on multi-port devices
  - Test 1 to 6 DUT ports at a time
  - Screen 10/100/1000Base-T ports in as little as 75 seconds per port
  - Screen 10/100Base-T ports in as little as 30 seconds per port
- Evaluate **transmission**, **interface**, and **receiver performance** parameters with full automation
  - Link function and link stability testing
  - Transmission assessment: SNR, Vpk-pk, low band PSD, wideband PSD
  - Interface assessment: Wideband return loss
  - Receiver assessment: Link performance at 802.3 maximum physical impairments
- Tabular text formatted report that adapts to the link rates (10, 100, and/or 1000) and produces summary results by test
  - Develops GOOD – MARGINAL – FAIL appraisal
  - Optional user control of test parameter criteria
- **Standard feature** with all PVA-3000's and PVA-3002's

Copyright 2025 Sifos Technologies, Inc.

Sifos Technologies

Verification, *Simplified*.

Copyright 2025 Sifos Technologies, Inc.