

PSE Conf Test Suite Regression

April 29 2022 6:27 PM
Port Count: 12
Loop Count: 1
PSE Tested: Sample Type-3 PSE

Sifos Technologies logo
702.3bt 4Pr Conformance Report
PSE Type: 3 MDI-X+MDI-X
Safety Index: 94%
Interop Index: 97%

Table with columns: Chassis ID, Test Loop, Test: det\_v, Test: det\_cc, Test: det\_i, Test: det\_range, Test: det\_time, Test: det\_resource, Test: cc\_response, Test: class\_v, Test: class\_time, Test: class\_response, Test: class\_err. Rows include various test parameters like Open\_Circuit\_Voc\_A, Backoff\_Voltage\_A, Presumed\_Cc\_Det\_Seq\_A, etc.



PSE Conf Test Suite Regression

April 29 2022 6:27 PM
Port Count: 12
Loop Count: 1
PSE Tested: Sample Type-3 PSE



802.3bt 4Pr Conformance Report version 5.2.72
PSE Type: 3 MDI-X+MDI-X report version 5.2.28
Safety Index: 94% Interop Index: 97%
Error Log: None

Table with columns for Chassis ID, Test Loop, Port Parameters (1-1 to 6-1), Units, Min/Max/Average, Low Limit, P/F, High Limit, and P/F. It includes various tests such as pwron\_maxi, pwron\_overld, mps\_dc\_valid, mps\_dc\_pwrndn, pwrndn\_time, and pwrndn\_v.